# D&S Diversified Technologies LLP Headmaster LLP

HEADMASTER LLP

P.O. Box 6609, Helena, MT 59604-6609 625 Barney, Suite A, Helena, MT 59602 800-393-8664 – Fax: 406-442-3357 / <u>www.hdmaster.com</u> Email: hdmaster@hdmaster.com

Innovative, quality technology solutions throughout the United States since 1985.

## ARIZONA NURSING ASSISTANT – HEADMASTER/D&S DIVERSIFIED TECHNOLOGIES TESTING SITE EQUIPMENT LIST AND AFFIDAVIT FORM 1503AZ

(This list MUST be accompanied by Form1502AZ)

The testing site must include all of the materials necessary to properly administer any of the randomly selected skill tests. The RN observer is required to review all of the skill tests they receive prior to administration and ensure that the appropriate laboratory equipment is available prior to testing. Please refer to the following list for equipment requirements.

#### **Equipment Provided by Testing Site**

- Isolation Gown (Velcro, tie and over the head gowns are allowed)
- Long term care bed without side rails, with working bed brakes (beds that brakes are locked when in lowest position and beds that alarm sounds when brakes are on are not acceptable, brakes have to be able to be manually engaged)
- Laundry receptacle (hamper)
- Bed pans 1 Standard and 1 Fracture Pan
- Bedside stand
- Over bed stand
- · Wheelchair with working brakes and removable footrests
- Hand Sanitizer
- Hand washing sink with warm running water, soap (liquid or foam), & paper towels (must be no further than 30 second walk from skills area) NO RINSE SOAPS ARE NOT ALLOWED IN TESTING
- Wash basins, emesis basin
- Output measurement container/graduate
- Wastebasket
- Wall clock in knowledge test room and skills lab
- Call bell (doesn't have to be a working call bell)
- Gait belts/transfer belts
- Walker
- Gloves
- Food tray, plate, silverware
- Linens including: pillows, top linens, pillowcases, flat and fitted sheets, bath blanket, towels and wash cloths, water proof pad, blanket, resident's gown (tie type, NO SNAPS)
- Dentures, denture container and denture cleanser
- Knee high anti-embolism elastic stocking
- Disposable Briefs & Plastic Bags (to dispose of soiled brief)
- Manikin (anatomically correct peri area for both female & male)
- Teaching (bi-aural) stethoscope with BP cuff
- Working privacy curtain(s) (may not be portable screen)
- Electronic Blood Pressure Monitor w/cuff (wrist models are not acceptable)
- · Finger Pulse Oximeter
- Urinary Drainage Bag with tubing

#### **ROOM REQUIREMENTS:**

- Distraction & Interruption Free Skills Lab with all equipment and supplies listed available and in good working order
- Distraction & Interruption Free Knowledge Test Room
- Holding or Waiting Area where candidates may wait to take the exam
- Any signage (posters) or displays in skill test room that may cue candidates on skill performance must be covered or removed on test days

#### Additional Equipment Provided by RN Observer or Test Site

- Actor's toothbrush, toothpaste and paper cup
- #2 pencils for paper knowledge test administration
- Scratch paper
- Two (2) Basic calculators one for knowledge test/one in skills test
- Official data recording forms provided by Headmaster
- Liquid, foam or bar soap (no rinse soaps are not allowed)
- Tissues, toilet paper
- Alcohol or alcohol pads
- Digital oral thermometer and sheaths for probe
- Two audible count-down timers (one for 15 minutes left warning and 1 for 40 minutes time up)
- Over sized button shirt/blouse, sweat pants, easy to put on non-skid slippers (NO SLIPPER SOCKS) and socks all fitting actor
- Sample food items (single serve size container of applesauce, pudding etc.)
- Diet Card (provided by Headmaster), spoon ,napkins & bendable straw
- 1 Clear 240 ml glasses 1 clear 120 ml juice glass for Feeding Task provided by Headmaster
- Hand Sanitizer
- <u>ORAL TEST ADMINISTRATION</u>: For paper tests, headphones to plug into the MP-3 player (MP-3 player sent with test fully charged). For electronic tests, headphones that can plug into the computer speakers are needed.
- Pre-measured "urine" fluid amounts in unmarked containers (hint: use yellow food coloring in water for Bedpan and Output and Emptying Urinary Drainage Bag Tasks)
- Watch with a second hand
- Marker to date and initial disposable brief

### **FOR ELECTRONIC TEST SITES:**

At least 4 Internet-connected computers in the knowledge test room (if password protected, this information would need to be given to Headmaster in advance of the test event.)

1 Internet-connected computer in the skills lab (laptop that can be moved is preferable, but if a stationary computer, it needs to be in an area that the test observer can easily observe the skills demonstrations)

#### ROOM REQUIREMENTS CONTINUED:

- If testing rooms are windowed internally where people can see in the rooms when testing, the windows must be covered with blinds, curtains or other covering on testing days to maintain a distraction free testing environment
- If testing rooms are in different buildings (i.e.: a campus), the testing rooms must be within a reasonable, short distance of each other

Testing sites and RN observers may mutually agree to a different mix of equipment distribution and a test observer may use their consumable supplies reimbursement to purchase consumables from the test site or bring linen and take care of laundry depending on mutual agreement with the test site. The test site may also choose to receive the consumable supplies reimbursement and provide the consumables for test events conducted at the test site and would then be free to apply any excess consumable supplies reimbursement money toward a nominal facility use fee. Please call HEADMASTER toll free at 1-800-393-8664 if we can be of assistance regarding any of these issues.

Site Affidavit: We hereby certify that			
Facility Name:			
Phone:		er:	
Contact Person's Name:			
Address:	City:	State:	Zip:
has the equipment listed herein and will make the equipment ava and skill tests to nursing assistant candidates at our site.		ontractors) for the purpose of	of administering NA knowledg
Site Administrator Signature:		Date:	ll